

### Designed Turns Inventory

Segment Number	Turns (#)	Turn Type 1	Turn Type 2	Turn Type 3
<b>100</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>
	T1	X		
<b>104</b>	<b>6</b>	<b>0</b>	<b>3</b>	<b>3</b>
	T1		X	
	T2			X
	T3		X	
	T4		X	
	T5			X
	T6			
<b>105</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>2</b>
	T1			X
	T2			X
<b>201</b>	<b>12</b>	<b>0</b>	<b>9</b>	<b>3</b>
	T1		X	
	T2		X	
	T3			X
	T4			X
	T5			X
	T6		X	
	T7		X	
	T8		X	
	T9		X	
	T10		X	
	T11		X	
	T12		X	
<i>Totals</i>	<b>21</b>	<b>1</b>	<b>12</b>	<b>8</b>

Turns are numbered starting at "T1" from the top of the designed trail segment to the bottom. The number restarts at "T1" for each new trail segment.

**Designed Crossings Inventory**

Segment Number	Crossings (#)	Bridge Length (FT)	Culvert (EA)
<b>100</b>	<b>1</b>	<b>0</b>	<b>1</b>
	<i>C1</i>		X
<b>104</b>	<b>5</b>	<b>41</b>	<b>1</b>
	<i>C1</i>	20	
	<i>C2</i>		X
	<i>C3</i>	5	
	<i>C4</i>	10	
	<i>C5</i>	6	
<b>105</b>	<b>4</b>	<b>25</b>	<b>2</b>
	<i>C1</i>	15	
	<i>C2</i>	10	
	<i>C3</i>		X
	<i>C4</i>		X
<b>201</b>	<b>5</b>	<b>80</b>	<b>0</b>
	<i>C1</i>	15	
	<i>C2</i>	20	
	<i>C3</i>	30	
	<i>C4</i>	15	
	<i>C5</i>	0	
<i>Totals</i>	<b>15</b>	<b>146</b>	<b>4</b>

## 2023 Lower Basin Design Flagging

Segment Number	User	Difficulty	Status	Direction	Tread Width	Style	Turns (EA)	Crossings (EA)	Bridging Distance (FT)	Linear Feet	Mileage
100	Shared Use	Green	Flagged	Uphill Bike/ Bidirectional Hike	36"	Traditional Shared Use Singletrack	1	1	0	507	0.10
104	Bike Only	Black	Flagged	Downhill	48"	Gravity	6	5	41	3438	0.65
105	Bike Only	Blue	Built	Downhill	36"	Gravity	2	4	25	1379	0.26
201	Bike Only	Black	Flagged	Downhill	24'-36"	Gravity	12	5	80	5860	1.11
<i>Totals</i>							<i>21</i>	<i>15</i>	<i>146</i>	<i>11184</i>	<i>2.12</i>